

Australian statement of hazardous nature : Classified as hazardous according to criteria of NOHSC

## Section 1 - Identification

**Product Name** Sodium dichromate dihydrate

**Product Code** ACR21924, ACR38563, AJA1227, AJA1228, FSBS/3520, FSBS/3560, FSBS/3561

**Address** ThermoFisher Scientific Australia Pty Ltd  
5 Caribbean Drive, Scoresby  
VICTORIA 3179, Australia

**Emergency Tel.** CHEMTREC®  
03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292  
Fax: 1800 067 639

**E-mail address** [auinfo@thermofisher.com](mailto:auinfo@thermofisher.com)

**Recommended Use** Laboratory chemicals.

## Section 2 - Hazard(s) Identification

**Classification under the National Occupational Health and Safety Commission (NOHSC), Australia**

Classified as hazardous according to criteria of NOHSC

### Physical hazards

Oxidizing solids Category 2

### Health hazards

Acute Oral Toxicity	Category 3
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 2
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (single exposure)	Category 3
Specific target organ toxicity - (repeated exposure)	Category 1

### Environmental hazards

Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

### Label Elements



Flame Over Circle



Skull and Crossbones



Health Hazard



Corrosion



Environment

**Signal Word****Danger****Hazard Statements**

H272 - May intensify fire; oxidizer  
 H301 - Toxic if swallowed  
 H312 - Harmful in contact with skin  
 H314 - Causes severe skin burns and eye damage  
 H317 - May cause an allergic skin reaction  
 H330 - Fatal if inhaled  
 H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
 H335 - May cause respiratory irritation  
 H340 - May cause genetic defects  
 H350 - May cause cancer  
 H360 - May damage fertility or the unborn child  
 H372 - Causes damage to organs through prolonged or repeated exposure  
 H400 - Very toxic to aquatic life  
 H410 - Very toxic to aquatic life with long lasting effects

**Precautionary Statements**

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 P220 - Keep/Store away from clothing/ combustible materials  
 P221 - Take any precaution to avoid mixing with combustibles  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P270 - Do not eat, drink or smoke when using this product  
 P271 - Use only outdoors or in a well-ventilated area  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P280 - Wear protective gloves  
 P285 - In case of inadequate ventilation wear respiratory protection  
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower  
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a POISON CENTER or doctor/ physician  
 P330 - Rinse mouth  
 P331 - Do NOT induce vomiting  
 P363 - Wash contaminated clothing before reuse  
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

No information available

## Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %
Sodium dichromate dihydrate	7789-12-0	100

## Section 4 - First Aid Measures

<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Protection of First-aiders</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>First Aid Facilities</b>	Eyewash, safety shower and washroom.
<b>Most important symptoms/effects</b>	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
<b>Notes to Physician</b>	Treat symptomatically.

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood, paper, oil, clothing, etc.). Do not allow run-off from fire fighting to enter drains or water courses.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Ensure adequate ventilation.

### Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Keep away from clothing and other combustible materials.

**Conditions for Safe Storage, Including any Incompatibilities**

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store near combustible materials. AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

**Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Sodium dichromate dihydrate	TWA: 0.05 mg/m <sup>3</sup>		TWA: 0.05 mg/m <sup>3</sup>	STEL: 0.15 mg/m <sup>3</sup> 15 min TWA: 0.05 mg/m <sup>3</sup> 8 hr Resp. Sens.	Haut

**Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Exposure Controls****Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection**

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection**

Long sleeved clothing

**Respiratory Protection**

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:**

Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

**Recommended half mask:-**

Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Environmental exposure controls</b>	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Orange	
<b>Physical State</b>	Solid	
<b>Odor</b>	No information available	
<b>Odor Threshold</b>	No data available	
<b>pH</b>	3.5	
<b>Melting Point/Range</b>	357 °C / 674.6 °F	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	400 °C / 752 °F	
<b>Flash Point</b>	Not applicable	<b>Method -</b> No information available
<b>Evaporation Rate</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Vapor Pressure</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Specific Gravity / Density</b>	No data available	
<b>Bulk Density</b>	No data available	
<b>Water Solubility</b>	Soluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Autoignition Temperature</b>	Not applicable	
<b>Decomposition Temperature</b>	No data available	
<b>Viscosity</b>	Not applicable	Solid
<b>Explosive Properties</b>	No information available	
<b>Oxidizing Properties</b>	Oxidizer	
<b>Other information</b>		
<b>Molecular Formula</b>	Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> · 2 H <sub>2</sub> O	
<b>Molecular Weight</b>	298	

## Section 10 - Stability and Reactivity

<b>Reactivity</b>	Yes
<b>Stability</b>	Oxidizer: Contact with combustible/organic material may cause fire.
<b>Conditions to Avoid</b>	Incompatible products, Excess heat, Combustible material.
<b>Incompatible Materials</b>	Strong reducing agents, Combustible material.
<b>Hazardous Decomposition Products</b>	None under normal use conditions.
<b>Hazardous Polymerization</b>	No information available.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

**Product Information**  
(a) acute toxicity;

<b>Oral</b>	Category 3
<b>Dermal</b>	Category 4
<b>Inhalation</b>	Category 2
<b>(b) skin corrosion/irritation;</b>	Category 1 B
<b>(c) serious eye damage/irritation;</b>	Category 1
<b>(d) respiratory or skin sensitization;</b>	
<b>Respiratory</b>	Category 1
<b>Skin</b>	Category 1
No information available	
<b>(e) germ cell mutagenicity;</b>	Category 1B
<b>(f) carcinogenicity;</b>	Category 1B
<b>(g) reproductive toxicity;</b>	There are no known carcinogenic chemicals in this product
<b>(h) STOT-single exposure;</b>	Category 1B
<b>(i) STOT-repeated exposure;</b>	Category 3
<b>(j) aspiration hazard;</b>	Category 1
<b>Target Organs</b>	No information available.
<b>Solid</b>	Not applicable
<b>Symptoms / effects, both acute and delayed</b>	Solid
	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

## Section 12 - Ecological Information

<b>Ecotoxicity effects</b>	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.
<b>Persistence and Degradability</b>	
<b>Persistence</b>	Soluble in water, Persistence is unlikely, based on information available.
<b>Degradability</b>	Not relevant for inorganic substances.
<b>Degradation in sewage treatment plant</b>	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
<b>Bioaccumulative Potential</b>	Bioaccumulation is unlikely
<b>Mobility</b>	The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility Highly mobile in soils
<b>Endocrine Disruptor Information</b>	This product does not contain any known or suspected endocrine disruptors
<b>Persistent Organic Pollutant</b>	This product does not contain any known or suspected substance
<b>Ozone Depletion Potential</b>	This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

<b>Waste from Residues / Unused Products</b>	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
<b>Contaminated Packaging</b>	Dispose of this container to hazardous or special waste collection point.

**Other Information** Chemical wastes should be disposed through a licensed commercial waste collection service. Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

## Section 14 - Transport Information

### IMDG/IMO

UN-No UN3087  
 Proper Shipping Name OXIDIZING SOLID, TOXIC, N.O.S.  
 Technical Shipping Name Sodium dichromate dihydrate  
 Hazard Class 5.1  
 Subsidiary Hazard Class 6.1  
 Packing Group II

### ADG

UN-No UN3087  
 Proper Shipping Name OXIDIZING SOLID, TOXIC, N.O.S.  
 Technical Shipping Name Sodium dichromate dihydrate  
 Hazard Class 5.1  
 Subsidiary Hazard Class 5.1 6.1  
 Packing Group II

### IATA

UN-No UN3087  
 Proper Shipping Name OXIDIZING SOLID, TOXIC, N.O.S.  
 Technical Shipping Name Sodium dichromate dihydrate  
 Hazard Class 5.1  
 Subsidiary Hazard Class 6.1  
 Packing Group II

**Environmental hazards** Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO

**Special Precautions** No special precautions required  
**Additional information** None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Inventories

X = listed

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL
Sodium dichromate dihydrate	X	X	-	-	-	-	-	X	-	X	-

### Standard for the Uniform Scheduling of Medicines and Poisons

Component	Standard for the Uniform Scheduling of Medicines and Poisons	Health Surveillance
Sodium dichromate dihydrate	Schedule 6 listed - except in paints or tinters containing <=5% of Chromium as the Ammonium, Barium, Calcium, Iron, Potassium, Sodium, Strontium or Zinc chromate calculated on the non-volatile content of the paint or tinter	Listed Demographic, medical and occupational history Physical examination with emphasis on the respiratory system and skin Weekly skin inspection of hands and forearms by a competent person

**Prohibition or notification/licensing requirements** Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

## Section 16 - Other Information

**Legend**

<b>AICS</b> - Australian Inventory of Chemical Substances	<b>NZIoC</b> - New Zealand Inventory of Chemicals
<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory	<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
<b>DSL/NDL</b> - Canadian Domestic Substances List/Non-Domestic Substances List	<b>ENCS</b> - Japanese Existing and New Chemical Substances
<b>IECS</b> - Chinese Inventory of Existing Chemical Substances	<b>KECL</b> - Korean Existing and Evaluated Chemical Substances
<b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances	<b>CAS</b> - Chemical Abstracts Service
<b>TWA</b> - Time Weighted Average	<b>ACGIH</b> - American Conference of Governmental Industrial Hygienists
<b>IARC</b> - International Agency for Research on Cancer	<b>PNEC</b> - Predicted No Effect Concentration
<b>ICAO/IATA</b> - International Civil Aviation Organization/International Air Transport Association	<b>IMO/IMDG</b> - International Maritime Organization/International Maritime Dangerous Goods Code
<b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships	<b>ADG</b> Australian Code for the Transport of Dangerous Goods by Road and Rail
<b>NZS 5433:2012</b> - Transport of Dangerous Goods on Land	<b>OECD</b> - Organisation for Economic Co-operation and Development
<b>LD50</b> - Lethal Dose 50%	<b>LC50</b> - Lethal Concentration 50%
<b>EC50</b> - Effective Concentration 50%	<b>ATE</b> - Acute Toxicity Estimate
<b>WEL</b> - Workplace Exposure Limit	<b>RPE</b> - Respiratory Protective Equipment
<b>DNEL</b> - Derived No Effect Level	<b>NOEC</b> - No Observed Effect Concentration
<b>POW</b> - Partition coefficient Octanol:Water	<b>BCF</b> - Bioconcentration factor
<b>vPvB</b> - very Persistent, very Bioaccumulative	<b>PBT</b> - Persistent, Bioaccumulative, Toxic
<b>VOC</b> - Volatile Organic Compounds	

**Key literature references and sources for data**

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

<b>Revision Date</b>	11-Jan-2016
<b>Revision Summary</b>	Update to Format.

**This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet