

SAFETY DATA SHEET

Australian statement of hazardous nature : Classified as hazardous according to criteria of NOHSC


Section 1 - Identification

Product Name	Ethyl Acetate
Product Code	ACR14947, ACR16781, ACR23211, ACR26835, ACR32661, ACR32690, ACR32788, ACR36424, ACR36435, ACR42317, ACR42368, AJA11, AJA212, AJA213, AJA2532, BSPEL875,, FNNETHACE2G, FSBBP1125, FSBE/0850, FSBE/0900, FSBE/0903, FSBE/0906, FSBE/0907, FSBE/0908, FSBE191, FSBE195, FSBE196
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	auinfo@thermofisher.com
Recommended Use	Laboratory chemicals.

Section 2 - Hazard(s) Identification

Classification under the National Occupational Health and Safety Commission (NOHSC), Australia

Classified as hazardous according to criteria of NOHSC



Signal Word

Flame

Danger

Hazard Statements H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness AUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %
Ethylacetate	141-78-6	>95

Section 4 - First Aid Measures

Inhalation	Move to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms/effects	Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Cool closed containers exposed to fire with water spray.

Extinguishing media which must not be used for safety reasons Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges. **Environmental Precautions**

See Section 12 for additional ecological information.

Methods for Containment and Clean Up

Remove all sources of ignition. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Conditions for Safe Storage, Including any Incompatibilities

Keep away from heat and sources of ignition. Flammables area. Keep container tightly closed in a dry and well-ventilated place. AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Ethylacetate	STEL: 400 ppm	TWA: 200 ppm	TWA: 400 ppm	STEL: 400 ppm 15 min	TWA: 400 ppm (8
-	STEL: 1440 mg/m ³	TWA: 720 mg/m ³		TWA: 200 ppm 8 hr	Stunden). AGW -
	TWA: 200 ppm				exposure factor 2
	TWA: 720 mg/m ³				TWA: 1500 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 400 ppm (8
					Stunden). MAK
					TWA: 1500 mg/m ³ (8
					Stunden). MAK
					Höhepunkt: 800 ppm
					Höhepunkt: 3000 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment Eye Protection	Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial
Hand Protection	applications) Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Viton (R)	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices
Recommended Filter type:	Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)
Recommended half mask:-	Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Physical State	Clear Colorless Liquid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	No information available No data available Not applicable -83.5 °C / -118.3 °F No data available 75 - 78 °C / 167 172.4 °F -4 °C / 24.8 °F No data available Not applicable No data available	Method - No information available Liquid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density	No data available No data available No data available Not applicable	(Air = 1.0) Liquid

Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wa	ater)	
Component	log Pow	
Ethylacetate	0.6	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties	No information available	Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	
Other information		
Molecular Formula	C4H8O2	
Molecular Weight	88.11	

Section 10 - Stability and Reactivity

Reactivity	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization

No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information	
(a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylacetate	620 mg/kg(Rat)	> 20 mL/kg(Rabbit) > 18000 mg/kg (Rabbit)	58 mg/l (rat; 8 h)
(b) skip corresion/irritation:	No data available		^

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization; Respiratory No data available Skin No data available

ו	-	No data available			
	-				

Component	Test method	Test species	Study result
Ethylacetate	OECD Test Guideline 406	guinea pig	- non-sensitising
141-78-6(>95)			

(e) germ cell mutagenicity;

No data available

Component	Test method	Test species	Study result
Ethylacetate 141-78-6 (>95)			negative
	OECD Test Guideline 473	in vitro	negative

SAFETY DATA SHEET

Chromosomal aberration assay	Mammalian	
OECD Test Guideline 476 Gene cell mutation	in vitro Mammalian	negative
OECD Test Guideline 474 Mouse micronucleus assay	in vivo Mammalian	negative

(f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU		UK	Germany
E # 1 4 4				Australia					
Ethylacetate			listeed						
(g) reproductive toxicity;		No data avail	able						
Component		Test	method	Test	species / Dura	ation		Study re	sult
Ethylacetate		OECD Tes	t Guideline 416	Oral mouse 2 Generation		ration	NOAEL = 26400 mg/kg bw/day		
141-78-6 (>95)		OECD Test Guideline 414 Inhalation rat NOAEC = 73300			00 mg/m ³				
(h) STOT-single exposure;		Category 3							
Results / Target organs		Central nervo	ous system (C	NS)					

(i) STOT-repeated exposure;	No data available
Target Organs	None known.
(j) aspiration hazard;	No data available

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, delayed tiredness, nausea and vomiting

Section 12 - Ecological Information

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox	
Ethylacetate	Fathead minnow: LC50: 230 mg/l/ 96h Gold orfe: LC50: 270 mg/L/48h	EC50 = 717 mg/L/48h	EC50 = 3300 mg/L/48h	EC50 = 1180 mg/L 5 min EC50 = 1500 mg/L 15 min EC50 = 5870 mg/L 15 min EC50 = 7400 mg/L 2 h	
Persistence and Degradability	No information availab	ble	I		
Persistence	Persistence is unlikely	, based on information	n available.		
Component			Degradability		
Ethylacetate 141-78-6 (>95)			79 % (20 d) (OECI	D 301 D)	
Bioaccumulative Potential	Bioaccumulation is un	likely			

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)		
Ethylacetate	0.6	30		
Mobility	The product contains volatile organic compound surfaces. Will likely be mobile in the environm air			
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or su This product does not contain any known or su This product does not contain any known or su	uspected substance		

Section 13 - Disposal Considerations

Waste from Residues / Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not dispose of waste into sewer. Can be incinerated, when in compliance with local regulations.

Section 14 - Transport Information

UN-No	UN1173
Proper Shipping Name	ETHYL ACETATE
Hazard Class	3
Packing Group	II

ADG

UN-No Proper Shipping Name	UN1173 ETHYL ACETATE	
Hazard Class	3	
Packing Group	II	
	Component	Hazchem Code
	Ethylacetate	3YE
	141-78-6(>95)	
IATA		
UN-No	UN1173	

Proper Shipping Name	
Hazard Class	
Packing Group	
Environmental hazards	

Special Precautions

Additional information

3 II No hazards identified No special precautions required

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

ETHYL ACETATE

None known

International Inventories		X = listed	ł									
Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL	
Ethylacetate	X	Х	205-500- 4	-	X	X	-	Х	Х	X	Х	
Standard for the Uniform		Not Sche	duled			•						
Scheduling of Medicines ar Poisons Prohibition or notification/I equirements		Shown b they app		details of s	pecific pr	ohibitio	n/notificat	ions or lic	cencing re	equiremer	nts wher	
Section 16 - C)ther	Info	rmat	tion								
				Legen	<u>ld</u>							
AICS - Australian Inventory of Chemical Substances					NZIOC - New Zealand Inventory of Chemicals							

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **TWA** - Time Weighted Average

IARC - International Agency for Research on Cancer

NZIOC - New Zealand Inventory of Chemicals EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances CAS - Chemical Abstracts Service ACGIH - American Conference of Governmental Industrial Hygienists PNEC - Predicted No Effect Concentration

SAFETY DATA SHEET

ICAO/IATA - International Civil Aviation Organization/International Air IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code Transport Association MARPOL - International Convention for the Prevention of Pollution from ADG Australian Code for the Transport of Dangerous Goods by Road and Rail Ships NZS 5433:2012 - Transport of Dangerous Goods on Land OECD - Organisation for Economic Co-operation and Development LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% ATE - Acute Toxicity Estimate WEL - Workplace Exposure Limit **RPE** - Respiratory Protective Equipment **DNEL** - Derived No Effect Level NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water BCF - Bioconcentration factor vPvB - very Persistent, very Bioaccumulative PBT - Persistent, Bioaccumulative, Toxic **VOC** - Volatile Organic Compounds Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Revision Date	18-Apr-2016
Revision Summary	Update to Format.

This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet