

Australian statement of hazardous nature : Classified as hazardous according to criteria of NOHSC

## Section 1 - Identification

**Product Name** Calcium oxide powder

<b>Product Code</b>	<b>AJA1350, AJA966</b>
<b>Address</b>	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
<b>Emergency Tel.</b>	<b>CHEMTREC®</b> <b>03 9757 4559 or +613 9757 4559</b>
<b>Telephone / Fax Numbers</b>	Tel: 1300 735 292 Fax: 1800 067 639
<b>E-mail address</b>	<a href="mailto:auinfo@thermofisher.com">auinfo@thermofisher.com</a>

**Recommended Use** Laboratory chemicals.

## Section 2 - Hazard(s) Identification

**Classification under the National Occupational Health and Safety Commission (NOHSC), Australia**

Classified as hazardous according to criteria of NOHSC

**Physical hazards**

No hazards identified

**Health hazards**

Acute Oral Toxicity	Category 4
Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity - (single exposure)	Category 3

**Environmental hazards**

No hazards identified

**Label Elements**



Exclamation Mark



Corrosion

**Signal Word** **Danger**

**Hazard Statements**

H302 - Harmful if swallowed  
H318 - Causes serious eye damage  
H315 - Causes skin irritation

H335 - May cause respiratory irritation

#### Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P270 - Do not eat, drink or smoke when using this product  
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection  
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray  
 P271 - Use only outdoors or in a well-ventilated area  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a POISON CENTER or doctor/ physician  
 P330 - Rinse mouth  
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing  
 P362 - Take off contaminated clothing and wash before reuse  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

No information available

## Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %
Calcium oxide	1305-78-8	100

## Section 4 - First Aid Measures

<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Protection of First-aiders</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>First Aid Facilities</b>	Eyewash, safety shower and washroom.
<b>Most important symptoms/effects</b>	Causes eye burns. Causes severe eye damage.
<b>Notes to Physician</b>	Treat symptomatically.

## Section 5 - Fire Fighting Measures

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Ensure adequate ventilation.

### Environmental Precautions

See Section 12 for additional ecological information.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Ensure adequate ventilation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Calcium oxide	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: 6 mg/m <sup>3</sup> 15 min TWA: 2 mg/m <sup>3</sup> 8 hr	TWA: 1 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 1 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 2 mg/m <sup>3</sup>

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

<b>Skin and body protection</b>	Long sleeved clothing
<b>Respiratory Protection</b>	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices
<b>Recommended Filter type:</b>	Particulates filter conforming to EN 143 (or AUS/NZ equivalent)
<b>Recommended half mask:-</b>	Particle filtering: EN149:2001 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Appearance</b>	White	
<b>Physical State</b>	Solid	
<b>Odor</b>	No information available	
<b>Odor Threshold</b>	No data available	
<b>pH</b>	12.6	
<b>Melting Point/Range</b>	2572 °C / 4661.6 °F	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	Not applicable 2850 °C / 5162 °F	
<b>Flash Point</b>	Not applicable	<b>Method -</b> No information available
<b>Evaporation Rate</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Vapor Pressure</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Specific Gravity / Density</b>	No data available	
<b>Bulk Density</b>	No data available	
<b>Water Solubility</b>	No information available	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Autoignition Temperature</b>	Not applicable	
<b>Decomposition Temperature</b>	No data available	
<b>Viscosity</b>	Not applicable	Solid
<b>Explosive Properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	
<b>Other information</b>		
<b>Molecular Formula</b>	CaO	
<b>Molecular Weight</b>	56.08	

## Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

**Hazardous Decomposition Products** None under normal use conditions.

**Hazardous Polymerization** No information available.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

**(a) acute toxicity;**

**Oral** Category 4  
**Dermal** No data available  
**Inhalation** No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium oxide	>2000 mg/kg (female Rat)		

**(b) skin corrosion/irritation;** Category 2

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**

**Respiratory** No data available  
**Skin** No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available

**(g) reproductive toxicity;** There are no known carcinogenic chemicals in this product

**(h) STOT-single exposure;** No data available

**(i) STOT-repeated exposure;** Category 3

**Results / Target organs** Respiratory system

**(i) STOT-repeated exposure;** No data available

**Target Organs** None known.

**(j) aspiration hazard;** Not applicable  
Solid

**Symptoms / effects, both acute and delayed** No information available

## Section 12 - Ecological Information

### Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Calcium oxide	LC50: = 1070 mg/L, 96h static (Cyprinus carpio)			

**Persistence and Degradability** No information available

**Degradability** Not relevant for inorganic substances.

**Bioaccumulative Potential** No information available

**Mobility** No information available.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste from Residues / Unused Products** Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**Other Information** Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Solutions with high pH-value must be neutralized before discharge.

## Section 14 - Transport Information

### IMDG/IMO

**UN-No** UN1910  
**Proper Shipping Name** CALCIUM OXIDE  
**Hazard Class** 8

### ADG

**UN-No** UN1910  
**Proper Shipping Name** CALCIUM OXIDE  
**Hazard Class** 8

Component	Hazchem Code
Calcium oxide 1305-78-8 ( 100 )	2X

### IATA

**UN-No** UN1910  
**Proper Shipping Name** CALCIUM OXIDE  
**Hazard Class** 8  
**Packing Group** III

**Environmental hazards** No hazards identified  
**Special Precautions** No special precautions required  
**Additional information** None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Inventories

X = listed

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL
Calcium oxide	X	X	215-138-9	-	X	X	-	X	X	X	X

**Standard for the Uniform Scheduling of Medicines and Poisons** Not Scheduled

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

## Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**NZS 5433:2012** - Transport of Dangerous Goods on Land  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**WEL** - Workplace Exposure Limit  
**DNEL** - Derived No Effect Level  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative  
**VOC** - Volatile Organic Compounds

**NZIoC** - New Zealand Inventory of Chemicals  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**CAS** - Chemical Abstracts Service  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**PNEC** - Predicted No Effect Concentration  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**ADG** Australian Code for the Transport of Dangerous Goods by Road and Rail  
**OECD** - Organisation for Economic Co-operation and Development  
**LC50** - Lethal Concentration 50%  
**ATE** - Acute Toxicity Estimate  
**RPE** - Respiratory Protective Equipment  
**NOEC** - No Observed Effect Concentration  
**BCF** - Bioconcentration factor  
**PBT** - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Revision Date** 30-May-2016  
**Revision Summary** Update to Format.

### This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet