

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 23.05.2019

Version 1.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	102109
Product name	Calcium oxide from marble small lumps ~3-20 mm
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	1305-78-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	EHS Manager * +61 (3) 8727 6300 * Monday through Friday, 8:00am to 5:00pm (EST)
Regional representation	Merck Pty. Limited ABN 80 001 239 818 Ground Floor, Building 1 885 Mountain Highway Bayswater VIC 3153 Australia www.merckmillipore.com

1.4 Emergency telephone number

+61 (3) 8727 6300
After hours: CHEMCALL +64 4 917 9888
Poisons Information Centre: 13 1126

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

Skin irritation, Category 2, H315
Serious eye damage, Category 1, H318
Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335
For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
Danger

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements

Prevention
P280 Wear eye protection.
Response
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word
Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

CAS-No. 1305-78-8

2.3 Other hazards

None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula CaO (Hill)
EC-No. 215-138-9
Molar mass 56.07 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

calcium oxide (<= 100 %)

1305-78-8 *)

Skin irritation, Category 2, H315
Serious eye damage, Category 1, H318
Specific target organ toxicity - single exposure, Category 3, H335

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Dermatitis
Risk of corneal clouding.
Irritation and corrosion, Cough, Shortness of breath
Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water, Foam

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

May not get in touch with:

Water

Caution! in contact with water product releases:

Calcium hydroxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

Advice on safe handling

Observe label precautions.

Keep workplace dry. Do not allow product to come into contact with water.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Do not use light-weight-metal containers.

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

calcium oxide (1305-78-8)

AU OEL Time Weighted Average (TWA): 2 mg/m³

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	odourless
Odour Threshold	Not applicable
pH	12.6 at 20 °C (saturated solution)
Melting point	2,580 °C
Boiling point/boiling range	2,850 °C at 100 hPa
Flash point	does not flash
Evaporation rate	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapour pressure	Not applicable
Relative vapour density	No information available.
Density	3.37 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	1.65 g/l at 20 °C Method: OECD Test Guideline 105 Risk of violent reaction.
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	Not applicable
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

Ignition temperature	not combustible
Bulk density	800 - 1,200 kg/m ³

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

Decomposes when moist.

10.3 Possibility of hazardous reactions

Risk of explosion with:

Hydrogen halides, Water

Risk of ignition or formation of inflammable gases or vapours with:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

Alcohols, Hydrogen fluoride, hydrogen sulphide

Exothermic reaction with:

halogen-halogen compounds, Fluorine, Hydrazine hydrate, Glycerine, Acids, sugars

10.4 Conditions to avoid

Exposure to moisture

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Rat: $\geq 7,340$ mg/kg

OECD Test Guideline 401

Symptoms: Irritations of:, Gastrointestinal tract

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Rabbit

Result: No irritation

OECD Test Guideline 404

in case of perspiration/moisture corrosive.

Causes skin irritation.

After long-term exposure to the chemical: Dermatitis

Eye irritation

Causes serious eye damage.

Rabbit

Result: Moderate eye irritation

OECD Test Guideline 405

Risk of corneal clouding.

Sensitisation

Patch test: human

Result: negative

(IUCLID)

Germ cell mutagenicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Carcinogenicity

This information is not available.

Reproductive toxicity

No impairment of reproductive performance in animal experiments. (IUCLID)

Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Decomposition of the substance with tissue moisture.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 Oncorhynchus mykiss (rainbow trout): 50.6 mg/l; 96 h

OECD Test Guideline 203

The value is given in analogy to the following substances: Calcium hydroxide

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 49.1 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

The value is given in analogy to the following substances: Calcium hydroxide

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 1910
14.2 Proper shipping name	CALCIUM OXIDE
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

Other regulations

Hazchem Code 2X

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109
Product name Calcium oxide from marble small lumps ~3-20 mm

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102109
Product name	Calcium oxide from marble small lumps ~3-20 mm

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.