

# SAFETY DATA SHEET

Version 8.8 Revision Date 07.11.2022 Print Date 27.11.2022

SEC	<b>FION 1: Identification of</b>	f the substance/mixture and of the company/undertaking
1.1	Product identifiers	, , , , , ,
	Product name	<ul> <li>Hydrogen peroxide 30% (Perhydrol TM) for analysis EMSURE® ISO</li> </ul>
	Product Number Catalogue No. Brand	: 1.07209 : 107209 : Millipore
1.2	Other means of identif	ication
	No data available	
1.3	Relevant identified use	es of the substance or mixture and uses advised against
	Identified uses	: Reagent for analysis
1.4	Details of the supplier	of the safety data sheet
	Company	: Sigma-Aldrich Pty. Ltd. Suite 1, Level 1, Building B 11 Talavera Road MACQUARIE PARK NSW 2113 AUSTRALIA
	Telephone	: +61 1800 800 097
1.5	Emergency telephone	
	Emergency Phone #	: Free call (24/7): 1800 448 465 Int'l (24/7): +61 2 9037 2994 (CHEMTREC)
SEC 2.1	<b>FION 2: Hazards identifi</b> <b>GHS Classification</b> Serious eye damage/eye	cation irritation (Category 1), H318
	For the full text of the H-	Statements mentioned in this Section, see Section 16.
2.2	<b>GHS Label elements, ir</b> Pictogram	ncluding precautionary statements
	Signal Word	Danger
	Hazard statement(s) H318	Causes serious eye damage.
	Precautionary statement(	(s)

Prevention P280

Wear eye protection/ face protection.

Millipore- 1.07209

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 11

Response P305 + P351 + P338 + P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

#### 2.3 Other hazards - none

#### **SECTION 3: Composition/information on ingredients**

Substance / Mixture : Mixture

#### 3.2 Mixtures

#### **Hazardous ingredients**

Component		Classification	Concentration
Hydrogen Peroxid	e		
CAS-No. EC-No. Index-No.	7722-84-1 231-765-0 008-003-00-9	Ox. Liq. 1; Acute Tox. 4; Skin Corr./Irrit. 1A; Eye Dam./Irrit. 1; STOT SE 3; H271, H302, H332, H314, H318, H335 Concentration limits: >= 70 %: Ox. Liq. 1, H271; 50 - < 70 %: Ox. Liq. 2, H272; >= 70 %: Skin Corr. 1A, H314; 50 - < 70 %: Skin Corr. 1B, H314; 35 - < 50 %: Skin Irrit. 2, H315; 8 - < 50 %: Eye Dam. 1, H318; 5 - < 8 %: Eye Irrit. 2, H319; >= 35 %: STOT SE 3, H335; > 40 - < 50 %: Ox. Liq. 3, H272;	>= 30 - < 35 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Millipore- 1.07209



## **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## **Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

**5.2** Special hazards arising from the substance or mixture Nature of decomposition products not known. Not combustible.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

## Do not empty into drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.Observe possible material restrictions (see sections 7 and 10).Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

**6.4** Reference to other sections For disposal see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

**Hygiene measures** 

Millipore- 1.07209

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 11

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers. Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valve).

Tightly closed. Protected from light. Do not store near combustible materials.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Hydrogen	7722-84-1	TWA	1 ppm 1.4	Australia. Workplace Exposure
Peroxide			mg/m3	Standards for Airborne
				Contaminants.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm

Millipore- 1.07209

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 11

Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

## Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not empty into drains.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	> 100 °C
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m	) Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
0)	Vapor pressure	No data available
p)	Density	No data available
	Relative density	No data available
q)	Relative vapor density	No data available

Millipore- 1.07209

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 11

- r) Particle No data available characteristics
- s) Explosive properties No data available
- t) Oxidizing properties Oxidizing potential

#### **9.2 Other safety information** No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Has a fire-promoting effect due to release of oxygen.

#### **10.2** Chemical stability

heat-sensitive Sensitivity to light Contains the following stabilizer(s): 2,6-Pyridinedicarboxylic acid (0.004 %)

#### **10.3 Possibility of hazardous reactions**

Risk of explosion with: Acetaldehyde Acetone Activated charcoal Alcohols formic acid Ammonia combustible substances vinyl acetate **Organic Substances** Powdered metals Dust hydrazine and derivatives hvdrides Ether Potassium anilines Metallic salts acetic acid Acetic anhydride Formaldehyde furfuryl alcohol oils sodium Lithium lithium aluminium hydride organic solvents Magnesium metallic oxides Methanol **Reducing agents** Oxides of phosphorus butanol with Sulphuric acid

Millipore- 1.07209

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 11

alkali hydroxides with Heavy metals Exothermic reaction with: alkali hydroxides antimony sulfide tin (II) chloride Sulfides 3-BROMO-5-CHLORO-4-HYDROXYBENZALDEHYDE nitric acid (conc.) ethanol glycerol Potassium hydroxide phosphorus metallic oxides Sodium hydroxide Aldehydes nonmetals nonmetallic oxides strong alkalis Amines Acids Oxidizing agents alkali salts Alkali metals Alkaline earth metals iodides peroxi compounds Brass organic nitro compounds phenol with metal catalysts Risk of ignition or formation of inflammable gases or vapours with: potassium permanganate Wood/Sawdust vinyl acetate with Catalyst

# **10.4 Conditions to avoid** Heating.

**10.5 Incompatible materials** Metals

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

Millipore- 1.07209



#### SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

## Mixture

## Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

## Skin corrosion/irritation

Remarks: After long-term exposure to the chemical: Causes skin burns.

#### **Serious eye damage/eye irritation** Remarks: conjunctivitis

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

**Carcinogenicity** No data available

no uata avaliable

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

## **11.2 Additional Information**

Dizziness Unconsciousness Diarrhea Nausea Vomiting Headache Convulsions muscle twitching insomnia shock Irritation and corrosion conjunctivitis Risk of serious damage to eyes.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Millipore- 1.07209



The life science business of Merck operates as  $\ensuremath{\mathsf{MilliporeSigma}}$  in the US and Canada

#### Components

#### **Hydrogen Peroxide**

#### Acute toxicity

LD50 Oral - Rat - female - 693.7 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapor (Expert judgment) LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA)

#### Skin corrosion/irritation

Remarks: Causes severe burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

#### **Respiratory or skin sensitization** No data available

Germ cell mutagenicity

#### Method: OECD Test Guideline 474 Species: Mouse - male and female - Bone marrow Result: negative

## Carcinogenicity

No data available

## Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

#### Specific target organ toxicity - repeated exposure

#### **Aspiration hazard** No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Mixture** No data available

## 12.2 Persistence and degradability

Biodegradability Remarks: No data available

#### **12.3 Bioaccumulative potential** No data available

#### **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Millipore- 1.07209





## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided. No data available

#### Components

Hydrogen Peroxide				
Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 16.4 mg/l - 96 h (US-EPA)			
Toxicity to daphnia and other aquatic invertebrates	semi-static test LC50 - Daphnia pulex (Water flea) - 2.4 mg/l - 48 h (US-EPA)			
Toxicity to algae	static test ErC50 - Skeletonema costatum (marine diatom) - 1.38 mg/l - 72 h Remarks: (ECHA)			
	static test NOEC - Skeletonema costatum (marine diatom) - 0.63 mg/l - 72 h Remarks: (ECHA)			
Toxicity to bacteria	static test EC50 - activated sludge - 466 mg/l - 30 min (OECD Test Guideline 209)			
	static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)			
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Daphnia magna (Water flea) - 0.63 mg/l - 21 d Remarks: (ECHA)			

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## SECTION 14: Transport information

14.1 UN number ADR/RID: 2014 IMD

IMDG: 2014

IATA-DGR: 2014

#### 14.2 UN proper shipping name

ADR/RID: HYDROGEN PEROXIDE, AQUEOUS SOLUTION IMDG: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Millipore- 1.07209

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 11

IA	TA-DGR: Hy	drogen peroxide, aqueous solution	
	<b>ransport hazard class(</b> DR/RID: 5.1 (8)	<b>es)</b> IMDG: 5.1 (8)	IATA-DGR: 5.1 (8)
	<b>ackaging group</b> DR/RID: II	IMDG: II	IATA-DGR: II
_	<b>nvironmental hazards</b> DR/RID: no	IMDG Marine pollutant: no	IATA-DGR: no
-	pecial precautions for one	user	
	compatible materials etals		
	ther regulations azchem Code	: 2P	

#### SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Standard for the Uniform Scheduling of

Standard for the Uniform Scheduling of<br/>Medicines and Poisons: No poison schedule number<br/>allocated

## **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H271	May cause fire or explosion; strong oxidizer.
H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
The branding on	the header and/or footer of this document may t

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.07209

