

SAFETY DATA SHEET

Version 8.9 Revision Date 09.08.2023 Print Date 15.07.2024

# 1.1 Product identifiers Product name Ethanol for gas chromatography ECD and FID SupraSolv® Product Number 1.02371 Catalogue No. 102371 Brand Millipore CAS-No. 64-17-5 1.2 Other means of identification No data available

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.3** Relevant identified uses of the substance or mixture and uses advised against

dentified uses : S
--------------------

#### 1.4 Details of the supplier of the safety data sheet

	Company	:	Merck Life Science Pty Ltd Ground Floor, Building 1, 885 Mountain Highway BAYSWATER VIC 3153 AUSTRALIA
	Telephone E-mail address	:	+61 1800 800 097 customersupport.anz@merckgroup.com
1.5	Emergency telephone		

Emergency Phone # : Free call (24/7): 1800 862 115 Int'l (24/7): +61 2 9037 2994 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 GHS Classification

Flammable liquids (Category 2), H225 Serious eye damage/eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements Pictogram

Signal Word

Danger

Hazard statement(s) H225

Highly flammable liquid and vapor.

Millipore- 1.02371

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 11

H319	Causes serious eye irritation.
Precautionary statement(s)	
Prevention	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P280	Wear protective gloves/ eye protection/ face protection.
Response	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage	
P403 + P235	Store in a well-ventilated place. Keep cool.
Disposal	
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards - none

#### SECTION 3: Composition/information on ingredients Substance / Mixture : Substance

	Substance / Mixture		Substance
3.1	Substances		
	Formula	:	C2H6O
	Molecular weight	:	46.07 g/mol
	CAS-No.	:	64-17-5
	EC-No.	:	200-578-6
	Index-No.	:	603-002-00-5

#### **Hazardous ingredients**

Component	Classification	Concentration
ethanol		
	Flam. Liq. 2; Eye Dam./Irrit. 2A; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.02371

Page 2 of 11



#### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.02371

Page 3 of 11



#### **SECTION 6:** Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	

Millipore- 1.02371

Page 4 of 11



ethanol	64-17-5	TWA	1,000 ppm	Australia. Workplace Exposure
			1,880 mg/m3	Standards for Airborne
				Contaminants.

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state liquid

Millipore- 1.02371

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 11

b)	Color	colorless
c)	Odor	alcohol-like
d)	Melting point/freezing point	Melting point/freezing point: -114.0 °C at 1,013.25 hPa
e)	Initial boiling point and boiling range	78.29 °C at 1,013 hPa
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	Upper explosion limit: 27.7 %(V) Lower explosion limit: 3.1 %(V)
h)	Flash point	13 °C - closed cup
i)	Autoignition temperature	363 - 425 °C at 1,013 hPa
j)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.
k)	рН	7.0 at 10 g/l at 20 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 1.2 mPa.s at 20 °C
m)	Water solubility	1,000 g/l at 20 °C - completely miscible
n)	Partition coefficient: n-octanol/water	log Pow: -0.35 at 24 °C - Bioaccumulation is not expected.
o)	Vapor pressure	57.26 hPa at 19.6 °C
p)	Density	0.79 g/cm3 at 20 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none

# 9.2 Other safety information

Conductivity	< 1 µS/cm
Surface tension	22.31 mN/m at 20 °C - similar to water
Relative vapor density	1.6

Millipore- 1.02371

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 11



#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Vapors may form explosive mixture with air.

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3** Possibility of hazardous reactions

Risk of explosion/exothermic reaction with: hydrogen peroxide perchlorates perchloric acid Nitric acid mercury(II) nitrate permanganic acid Nitriles peroxi compounds Strong oxidizing agents nitrosyl compounds Peroxides sodium Potassium halogen oxides calcium hypochlorite nitrogen dioxide metallic oxides uranium hexafluoride iodides Chlorine Alkali metals Alkaline earth metals alkali oxides Ethylene oxide silver with Nitric acid silver compounds with Ammonia potassium permanganate with conc. sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds chromium(VI) oxide chromyl chloride Fluorine hydrides Oxides of phosphorus platinum Nitric acid with potassium permanganate

Millipore- 1.02371

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 11

# **10.4 Conditions to avoid** Warming.

Warming.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: dominant lethal test Species: Mouse

Millipore- 1.02371

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 11

Application Route: Oral Method: OECD Test Guideline 478 Result: Positive results were obtained in some in vivo tests.

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

# Aspiration hazard

No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 1,730 mg/kg - LOAEL (Lowest observed adverse effect level) - 3,200 mg/kg

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### **12.1 Toxicity**

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 15,300 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d Remarks: (ECHA)

Millipore- 1.02371

Page 9 of 11



#### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 15 d Result: ca.95 % - Readily biodegradable. (OECD Test Guideline 301E)
Biochemical Oxygen	930 - 1,670 mg/g
Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen	2,100 mg/g
demand	Remarks: (Lit.)

#### 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

 $\mathsf{PBT}/\mathsf{vPvB}$  assessment not available as chemical safety assessment not required/not conducted

# **12.6 Endocrine disrupting properties**

No data available

#### 12.7 Other adverse effects

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided.

#### SECTION 13: Disposal considerations

#### **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information				
<b>14.1 UN number</b> ADR/RID: 1170	IMDG: 1170	IATA-DGR: 1170		
<b>14.2 UN proper shipping</b> ADR/RID: IMDG: IATA-DGR:	<b>name</b> ETHANOL ETHANOL Ethanol			
14.3 Transport hazard cla ADR/RID: 3	ass(es) IMDG: 3	IATA-DGR: 3		
14.4 Packaging group ADR/RID: II	IMDG: II	IATA-DGR: II		
<b>14.5 Environmental haza</b> ADR/RID: no	rds IMDG Marine pollutant: no	IATA-DGR: no		
Millipore- 1.02371		Page 10 of 11		
The life science business of Merck ope Canada	rates as MilliporeSigma in the US and	Merck		

#### 14.6 Special precautions for user None

#### 14.7 Incompatible materials

#### Other regulations

Hazchem Code : •2YE

### **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** 

 Standard for the Uniform Scheduling of Medicines and Poisons

 Medicines and Poisons

#### **SECTION 16: Other information**

#### -Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.02371

Page 11 of 11

