

## SAFETY DATA SHEET

Version 8.5 Revision Date 08.10.2023 Print Date 08.10.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium hydroxide solution c(NaOH) = 0.5

mol/I (0.5 N) Titripur®

Product Number : 1.09138 Catalogue No. : 109138 Brand : Millipore CAS-No. : 1310-73-2

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.4 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pty. Ltd.

Suite 1, Level 1, Building B

11 Talavera Road

MACQUARIE PARK NSW 2113

**AUSTRALIA** 

Telephone : +61 1800 800 097

1.5 Emergency telephone

Emergency Phone # : Free call (24/7): 1800 448 465

Int'l (24/7): +61 2 9037 2994

(CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 GHS Classification

Corrosive to Metals (Category 1), H290 Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Warning

Millipore- 1.09138 Page 1 of 11



Hazard statement(s)

H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

### Precautionary statement(s)

Prevention

P234 Keep only in original container. P264 Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection. P280

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. P337 + P313 P362 + P364 Take off contaminated clothing and wash it before reuse.

P390 Absorb spillage to prevent material damage.

Storage

P406 Store in corrosive resistant container with a resistant inner

liner.

#### Other hazards - none

### **SECTION 3: Composition/information on ingredients**

Substance / Mixture : Mixture

#### 3.2 **Mixtures**

Millipore- 1.09138

### **Hazardous ingredients**

Component		Classification	Concentration
sodium hydroxide			
CAS-No.	1310-73-2	Met. Corr. 1; Skin	>= 1 - < 2 %
EC-No.	215-185-5	Corr./Irrit. 1A; Eye	
Index-No.	011-002-00-6	Dam./Irrit. 1; H290, H314,	
		H318	
		Concentration limits:	
		>= 0.4 %: Met. Corr. 1,	
		H290; >= 5 %: Skin Corr.	
		1A, H314; 2 - < 5 %: Skin	
		Corr. 1B, H314; 0.5 - < 2	
		%: Skin Irrit. 2, H315; 0.5	
		- < 2 %: Eye Irrit. 2,	
		H319;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Page 2 of 11



## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3** Indication of any immediate medical attention and special treatment needed No information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Sodium oxides

Not combustible.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8. For personal protection see section 8.

Millipore- 1.09138 Page 3 of 11

MERCK

### **6.2 Environmental precautions**

No special precautionary measures necessary.

### 6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH-, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Observe label precautions.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No aluminium, tin, or zinc containers.

Tightly closed.

Recommended storage temperature see product label.

### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**Ingredients with workplace control parameters** 

Component	CAS-No.	Value	Control parameters	Basis
sodium hydroxide	1310-73-2	Peak limit		Australia. Workplace Exposure Standards for Airborne Contaminants.

### 8.2 Exposure controls

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

Eye/face protection

Safety glasses

Millipore- 1.09138 Page 4 of 11



### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested: KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

No special precautionary measures necessary.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Physical state liquidb) Color colorlessc) Odor odorless

d) Melting No data available point/freezing point

e) Initial boiling point and boiling range

No data available

f) Flammability (solid, gas)

No data available

g) Upper/lower

No data available

flammability or

Millipore- 1.09138

MERCK

Page 5 of 11

explosive limits

h) Flash point Not applicable Autoignition Not applicable i) temperature

Decomposition j) temperature

No data available

рΗ ca.13.5 at 20 °C k)

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility at 20 °C soluble No data available n) Partition coefficient:

n-octanol/water

o) Vapor pressure No data available p) Density 1.02 g/cm3 at 20 °C Relative density No data available q) Relative vapor

density

No data available

r) Particle

No data available

characteristics

s) Explosive properties Not classified as explosive.

Oxidizing properties none

#### Other safety information 9.2

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

Metals

Light metals

Ammonia

Exothermic reaction with:

Acids

#### 10.4 Conditions to avoid

no information available

Millipore- 1.09138 Page 6 of 11



### 10.5 Incompatible materials

Metals, Light metalsGives off hydrogen by reaction with metals.

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Symptoms: Possible damages:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

irritant effects

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

### sodium hydroxide

#### **Acute toxicity**

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Millipore- 1.09138 Page 7 of 11



Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible

damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Remarks: Causes serious eye damage.

### Respiratory or skin sensitization

Patch test: - In vitro study

Result: negative Remarks: (ECHA)

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Mixture**

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

Millipore- 1.09138 Page 8 of 11

MERCK

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

Harmful effect due to pH shift.

Neutralisation possible in waste water treatment plants.

No ecological problems are to be expected when the product is handled and used with due care and attention.

No data available

### **Components**

sodium hydroxide

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h

Remarks: (ECHA)

Toxicity to bacteria

EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min

Remarks: (External MSDS)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1824 IMDG: 1824 IATA-DGR: 1824

### 14.2 UN proper shipping name

ADR/RID: SODIUM HYDROXIDE SOLUTION IMDG: SODIUM HYDROXIDE SOLUTION IATA-DGR: Sodium hydroxide solution

Millipore- 1.09138 Page 9 of 11



14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA-DGR: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA-DGR: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

Metals, Light metalsGives off hydrogen by reaction with metals.

Other regulations

Hazchem Code : 2W

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of : Schedule 5

Medicines and Poisons

#### **SECTION 16: Other information**

### -Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

Causes serious eye irritation.

### **Further information**

H319

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.09138 Page 10 of 11

Merck

Millipore- 1.09138 Page 11 of 11

